







PART NUMBER: FOR 1-3/4" UN PLUG THREAD: AX2HPJA-RFCCCC-NT-MM
FOR ACME PLUG THREAD: AX2HPJAAT-RFCCCC-NT-MM

MM = MATERIAL, PLEASE SEE MATERIAL PART NUMBER TABLE

CCCC = FLANGE RATING, PLEASE SEE FLANGE DIMENSION TABLE





FOR NUMBER OF BOLT HOLES SEE FLANGE DIMENSION TABLE



MATERIAL PART NUMBER TABLE	
MM	MATERIAL
A3	316/316L SS
A4	A105 CS
A5	A350LF2
A7	F51 DSS
A8	F60 DSS
A9	F53 SDSS
B1	F55 SDSS
B4	HASTELLOY C276
B5	A625
B6	A825
C1	304 SS
C3	6061-T6 AI
C4	A694 F65 CS

* NOTE OTHER MATERIALS ARE AVAILABLE





FLANGE DIMENSION TABLE											
PART NO. RRRR	O	H	Tf	W	BHD	X	NO. BOLT HOLES	RFH			
150	6.00	5.25	0.75	4.75	3/4	3.09	4	0.06			
300	6.50	5.25	0.87	5.00	3/4	3.34	8	0.06			
600	6.50	6.25	1.06	5.00	3/4	3.34	8	0.25			
1500	8.50	6.25	1.56	6.50	1	4.15	8	0.25			
2500	9.25	6.25	2.06	6.75	1-1/8	3.78	8	0.25			
UNLESS OTHERWISE SPECIFIED											
TOLERANCES:									.XX ±	.XXX ±	ANGLES ±
SURFACE ROUGHNESS:									✓		
UNITS:									INCHES		
	CONTROL STANDARDS NACE MR0175 ASME B16.5		SIZE	TITLE 2" JANUS RF FLANGED ACCESS FITTING			DRAWING NO. C130051				
			C								
			3:4	MATERIAL See Part Number			1 of 6				



PART NUMBER: FOR 1-3/4" UN PLUG THREAD: AX2HPJA-RF150-NT-MM
FOR ACME PLUG THREAD: AX2HPJAAT-RF150-NT-MM


MM = MATERIAL, PLEASE SEE MATERIAL PART NUMBER TABLE


FLANGE RATING, PLEASE SEE FLANGE DIMENSION TABLE



MATERIAL PART NUMBER TABLE	
MM	MATERIAL
A3	316/316L SS
A4	A105 CS
A5	A350LF2
A7	F51 DSS
A8	F60 DSS
A9	F53 SDSS
B1	F55 SDSS
B4	HASTELLOY C276
B5	A625
B6	A825
C1	304 SS
C3	6061-T6 AI
C4	A694 F65 CS

* NOTE OTHER MATERIALS ARE AVAILABLE





<u>UNLESS OTHERWISE SPECIFIED</u>						
TOLERANCES:		.XX ±	.XXX ±			ANGLES ±
SURFACE ROUGHNESS:		✓				
UNITS:		INCHES				
	CONTROL STANDARDS NACE MR0175 ASME B16.5		SIZE C	TITLE 2" JANUS RF FLANGED ACCESS FITTING		DRAWING NO. C130051-150
			3:4	MATERIAL See Part Number	2 of 6	



PART NUMBER: FOR 1-3/4" UN PLUG THREAD: AX2HPJA-RF300-NT-MM
FOR ACME PLUG THREAD: AX2HPJAAT-RF300-NT-MM

MM = MATERIAL, PLEASE SEE MATERIAL PART NUMBER TABLE

FLANGE RATING, PLEASE SEE FLANGE DIMENSION TABLE



MATERIAL PART NUMBER TABLE	
MM	MATERIAL
A3	316/316L SS
A4	A105 CS
A5	A350LF2
A7	F51 DSS
A8	F60 DSS
A9	F53 SDSS
B1	F55 SDSS
B4	HASTELLOY C276
B5	A625
B6	A825
C1	304 SS
C3	6061-T6 AI
C4	A694 F65 CS

* NOTE OTHER MATERIALS ARE AVAILABLE


UNLESS OTHERWISE SPECIFIED

TOLERANCES: .XX ± .XXX ± ANGLES ±

SURFACE ROUGHNESS: ✓

UNITS: INCHES





	CONTROL STANDARDS NACE MR0175 ASME B16.5	SIZE C	TITLE 2" JANUS RF FLANGED ACCESS FITTING	DRAWING NO. C130051-300
		3:4	MATERIAL See Part Number	3 of 6



PART NUMBER: FOR 1-3/4" UN PLUG THREAD: AX2HPJA-RF600-NT-MM
FOR ACME PLUG THREAD: AX2HPJAAT-RF600-NT-MM

MM = MATERIAL, PLEASE SEE MATERIAL PART NUMBER TABLE

FLANGE RATING, PLEASE SEE FLANGE DIMENSION TABLE



MATERIAL PART NUMBER TABLE	
MM	MATERIAL
A3	316/316L SS
A4	A105 CS
A5	A350LF2
A7	F51 DSS
A8	F60 DSS
A9	F53 SDSS
B1	F55 SDSS
B4	HASTELLOY C276
B5	A625
B6	A825
C1	304 SS
C3	6061-T6 AI
C4	A694 F65 CS

* NOTE OTHER MATERIALS ARE AVAILABLE


UNLESS OTHERWISE SPECIFIED

TOLERANCES: .XX ± .XXX ± ANGLES ±

SURFACE ROUGHNESS: ✓

UNITS: INCHES


	CONTROL STANDARDS NACE MR0175 ASME B16.5	SIZE C	TITLE 2" JANUS RF FLANGED ACCESS FITTING	DRAWING NO. C130051-600
		2:3	MATERIAL See Part Number	4 of 6



PART NUMBER: FOR 1-3/4" UN PLUG THREAD: AX2HPJA-RF1500-NT-MM
FOR ACME PLUG THREAD: AX2HPJAAT-RF1500-NT-MM




MM = MATERIAL, PLEASE SEE MATERIAL PART NUMBER TABLE

FLANGE RATING, PLEASE SEE FLANGE DIMENSION TABLE



SEALING FACE

3-5 ACME



MATERIAL PART NUMBER TABLE	
MM	MATERIAL
A3	316/316L SS
A4	A105 CS
A5	A350LF2
A7	F51 DSS
A8	F60 DSS
A9	F53 SDSS
B1	F55 SDSS
B4	HASTELLOY C276
B5	A625
B6	A825
C1	304 SS
C3	6061-T6 AI
C4	A694 F65 CS

* NOTE OTHER MATERIALS ARE AVAILABLE






UNLESS OTHERWISE SPECIFIED			
TOLERANCES:	.XX ±	.XXX ±	ANGLES ±
SURFACE ROUGHNESS:	✓		
UNITS:	INCHES		
	CONTROL STANDARDS	SIZE	TITLE
	NACE MR0175 ASME B16.5	C	2" JANUS RF FLANGED ACCESS FITTING
		3:4	MATERIAL
		See Part Number	
		5 of 6	



PART NUMBER: FOR 1-3/4" UN PLUG THREAD: AX2HPJA-RF2500-NT-MM
FOR ACME PLUG THREAD: AX2HPJAAT-RF2500-NT-MM

MM = MATERIAL, PLEASE SEE MATERIAL PART NUMBER TABLE

FLANGE RATING, PLEASE SEE FLANGE DIMENSION TABLE



MATERIAL PART NUMBER TABLE	
MM	MATERIAL
A3	316/316L SS
A4	A105 CS
A5	A350LF2
A7	F51 DSS
A8	F60 DSS
A9	F53 SDSS
B1	F55 SDSS
B4	HASTELLOY C276
B5	A625
B6	A825
C1	304 SS
C3	6061-T6 AI
C4	A694 F65 CS

* NOTE OTHER MATERIALS ARE AVAILABLE

UNLESS OTHERWISE SPECIFIED			
TOLERANCES:	.XX ±	.XXX ±	ANGLES ±
SURFACE ROUGHNESS:	✓		
UNITS:	INCHES		
	CONTROL STANDARDS	SIZE	TITLE
	NACE MR0175 ASME B16.5	C	2" JANUS RF FLANGED ACCESS FITTING
		2:3	MATERIAL See Part Number
		DRAWING NO. C130051-2500	
		6 of 6	

